



Lonely Lion

# Remanufactured Trucks and Machinery Catalogue



Liangshan Gold Industries Co., Ltd. is a comprehensive enterprise specializing in remanufactured trucks, remanufactured construction machinery, and semi-trailers. Relying on strong industry resources and practical market experience, the company is committed to providing cost-effective, reliable, and efficient transportation and equipment solutions for customers worldwide.

In the field of remanufactured trucks, the company offers a wide range of products, including tractor trucks, dump trucks, and cargo trucks. Through professional refurbishment, strict inspection, and systematic quality control, each vehicle is carefully prepared to ensure stable performance and dependable operation in various transport and working conditions. In the remanufactured construction machinery sector, the company supplies equipment such as excavators and loaders, with close attention paid to machine condition, core component testing, and after-sales support, helping customers achieve greater value with reasonable investment.

At the same time, Liangshan Gold Industries Co., Ltd. also provides different types of semi-trailers for general freight transportation, engineering projects, and specialized logistics applications. Guided by a commitment to quality, customer needs, and long-term cooperation, the company continues to strengthen its product integration and service capabilities, striving to become a trusted supplier in the commercial vehicle and construction machinery industry.











# PRODUCT SERIES



**Heavy truck**

**P5-16**



**Const ruction mach i nery**

**P17-20**



<b>Name</b>	SINOTRUK HOWO 8X4 DUMP TRUCK
<b>Bodonsins</b>	9500-10500 x 2550 x 3200-3600mm
<b>Driving type</b>	8x4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp, 371hp, 375hp, 380hp, 400hp, 460hp
<b>Tyre</b>	12.00R20 12.00R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 8X4 DUMP TRUCK
<b>Bodonsins</b>	10500 x 2550 x 3600mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	340hp, 371hp, 375hp, 380hp, 400hp, 420hp, 430hp, 460hp
<b>Tyre</b>	11.00R20 18PR/12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO NX 8X4 DUMP TRUCK
<b>Bodonsins</b>	10500 x 2550 x 3600mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II , Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp, 460hp
<b>Tyre</b>	12.00R2012+1 pcs
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 6X4 DUMP TRUCK
<b>Bodonsins</b>	7200-8500 x 2550 x 3000-3400mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II , Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp, 460hp
<b>Tyre</b>	12.00R20 12.00R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 6X4 DUMP TRUCK
<b>Bodonsins</b>	7800 x 2550 x 3400mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp, 371hp, 375hp, 380hp, 400hp, 420hp, 430hp, 460hp
<b>Tyre</b>	12.00R2016PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO NX 6X4 DUMP TRUCK
<b>Bodonsins</b>	8200 x 2550 x 3500mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II , Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp, 460hp
<b>Tyre</b>	12.00R22.5/12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 8X4 DUMP TRUCK
<b>Bodonsins</b>	9600-10200 x 2550 x 3500-3700mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN X5000 8X4 DUMP TRUCK
<b>Bodonsins</b>	9800-10500 x 2550 x 3600-3800mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	12.00R2018PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN F3000 8X4 DUMP TRUCK
<b>Bodonsins</b>	9600-10200 x 2550 x 3500-3700mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp, 460hp
<b>Tyre</b>	11.00R20/12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 6X4 DUMP TRUCK
<b>Bodonsins</b>	7800-8500 x 2550 x 3400-3600 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R20 /12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN X3000 8X4 DUMP TRUCK
<b>Bodonsins</b>	7600-8200 x 2550 x 3400-3600mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R2018PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN F3000 6X4 DUMP TRUCK
<b>Bodonsins</b>	7800-8300 x 2550 x 3400-3600 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	11.00R20 /12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN M3000 8X4 DUMP TRUCK
<b>Bodonsins</b>	9800-10200 x 2550 x 3600-3800 mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN H3000 8X4 DUMP TRUCK
<b>Bodonsins</b>	9800-10200 x 2550 x 3600-3800mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	FAW JIEFANG J6P 8X4 DUMP TRUCK
<b>Bodonsins</b>	9800-10500 x 2550 x 3600-3800 mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R20/12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN M3000 6X4 DUMP TRUCK
<b>Bodonsins</b>	7900-8400 x 2550 x 3400-3600mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN H3000 6X4 DUMP TRUCK
<b>Bodonsins</b>	8000-8500 x 2550 x 3400-3600mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	11.00R 2018PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	FAW JIEFANG JH6 6X4 DUMP TRUCK
<b>Bodonsins</b>	8000-8500 x 2550 x 3400-3600 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	11.00R 2018PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 8X4 CONCRETE MIXER
<b>Bodonsins</b>	10500-11200 x 2500 x 3900-4100 mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 8X4 CONCRETE MIXER
<b>Bodonsins</b>	10800-11500 x 2550 x 3900-4100 mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 8X4 CONCRETE MIXER
<b>Bodonsins</b>	10800-11500 x 2550 x 3800-4000 mm
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 6X4 CONCRETE MIXER
<b>Bodonsins</b>	9500-10200 x 2550 x 3800-4000 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 6X4 CONCRETE MIXER
<b>Bodonsins</b>	9800-10500 x 2550 x 3800-4000 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 6X4 CONCRETE MIXER
<b>Bodonsins</b>	9500-10200 x 2550 x 3800-4000 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO HANJING 4X2 WATER TANK TRUCK
<b>Bodonsins</b>	8200-8800 x 2500 x 3200-3400mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	240-350hp
<b>Tyre</b>	10.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 8X4 TRUCK-MOUNTED CRANE
<b>Bodonsins</b>	14-18m,8-12t
<b>Driving type</b>	8 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	6t,8t,10t,12t,14t,16t
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6800-7200 x 2550 x 3500-3700mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 or 295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 6X4 OIL TANK TRUCK
<b>Bodonsins</b>	10500-11200 x 2550 x 3600-3800mm
<b>Driving type</b>	6 x 4(Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 6X4 TRUCK-MOUNTED CRANE
<b>Bodonsins</b>	12-16m,6-8t
<b>Driving type</b>	6 x 4 (Sizeoptional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	6t,8t,10t,12t,14t,16t
<b>Tyre</b>	12.00R20/12R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6800-7200 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Sizeoptional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20 or 295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6900-7300 x 2550 x 3500-3700mm mm
<b>Driving type</b>	6 x 4 (Sizeoptional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO NX 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6900-7200 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6900-7300 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,510hp,530hp,540hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO T7 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6000-6500 x 2550 x 3400-3600mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO NX 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6200-6700 x 2550 x 3200-3500 mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6200-6700 x 2500 x 3400-3600mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp,510hp,530hp,540hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO MAX 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6900-7300x2550x3600-3800mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,510hp,530hp,540hp
<b>Tyre</b>	12.00R20 or 295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN F3000 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6800-7200 x 2550 x 3400-3600 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN H3000 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	6900-7300 x 2550 x 3500-3700 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO MAX 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6300-6800 x 2550 x 3300-3600 mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,510hp,530hp,540hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN X3000 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	7000-7400 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SHACMAN M3000 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	7000 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12R22.5 18PR
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	FAW JIEFANG J7 4X2 TRACTOR TRUCK
<b>Bodonsins</b>	6000-6500 x 2550 x 400-3600mm
<b>Driving type</b>	4 x 2 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	295/80R22.5
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK SITRAK 6X4 CNG TRACTOR TRUCK
<b>Bodonsins</b>	7000-7400 x 2550 x 3600-3800 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	FAW JIEFANG JH6 6X4 CNG TRACTOR TRUCK
<b>Bodonsins</b>	7000-7500 x 2550 x 3600-3800 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	FAW JIEFANG JH6 6X4 TRACTOR TRUCK
<b>Bodonsins</b>	7000-7400 x 2550 x 3500-3700mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371 hp,375hp,380hp,400hp,420hp,430hp,460hp,480hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO TX 6X4CNG TRACTOR TRUCK
<b>Bodonsins</b>	7200-7600 x 2550 x 3600-3800 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



<b>Name</b>	SINOTRUK HOWO NX 6X4 CNG TRACTOR TRUCK
<b>Bodonsins</b>	7200-7600 x 2550 x 3600-3800 mm
<b>Driving type</b>	6 x 4 (Size optional)
<b>Tengine</b>	Euro II, Euro III, Euro IV, Euro V, Euro VI
<b>Engine</b>	336hp,371hp,375hp,380hp,400hp,420hp,430hp,460hp
<b>Tyre</b>	12.00R20
<b>Colour</b>	White, red, green, blue (Optional)
<b>Driving Position</b>	Left standard rudder



GRABEXCAVATOR  
SHANTUI  
(NEW · USED)

GRABEXCAVATOR CAT  
(NEW · USED)



GRABEXCAVATOR CAT  
(NEW · USED)

GRABEXCAVATOR  
KOMATSU  
(NEW · USED)





**LOADER LONKING**  
(NEW · USED)

**LOADER XCMG**  
(NEW · USED)



**LOADER SHANTUI**  
(NEW · USED)

**ROAD ROLLER SHANTUI**  
(NEW · USED)





CRANE  
(NEW · USED)

CRANE  
(NEW · USED)



PUMP TRUCK  
ZOOMLION  
(NEW · USED)

PUMP TRUCK SANY  
(NEW · USED)





HOWO mid-axle trailer

---



FULL TRAILER